Data Sheet



1259 Process Gauge

FEATURES

- Accuracy complies with ASME B40.100 Grade 2A (±0.5% of span)
- Solid front safety case with pressure relief back
- 4½" dial size

TYPICAL USES

- Refineries
- Chemical, petrochemical plants and offshore oil rigs
- Water and wastewater pressure control
- Pulp and paper
- Mining and metals
- Equipment skids
- Specialized OEM equipment



SPECIFICATIONS					
Accuracy:	±0.5% of span (ASME B40.100, Grade 2A)				
Dial Size:	4½"				
Process Connection:	1/4 NPT Male, 1/2 NPT Male				
Ranges:	Vacuum to 20,000 psi	Vacuum to 20,000 psi			
Case Style:	Solid front with pressure relief back				
Movement:	Adjustable				
Pointer:	Micrometer adjustable, aluminum				
Weather Protection:	Dry Case: Case is not sealed and recommended for weather protected environment only Liquid filled or field fillable and Weatherproof: IP66 Hermetically Sealed: IP66				
Mounting:	Stem, surface, remote				
Dampening:	Liquid fill, throttle screw and pulsation dampener				
WETTED COMPONENTS					
Bourdon Tube	Process Connection	Joints			

NON-WEITEL	COMPONENT	IS	
Case	Ring	Window	Pressure Relief Back
PBT Polybutylene terephthalate (Meets UL 94-V-0)	PBT Polybutylene terephthalate (Meets UL 94-V-0)	Glass, Safety glass, Acrylic (OPT.)	PBT Polybutylene terephthalate (Meets UL 94-V-0)

316L SS

Monel® 400

KEY BENEFITS

- Available with a wide range of diaphragm seals
- Available with a large variety of instrument assemblies

MIN/MAX TEMPERATURE LIMITS							
Version	Ambient	Process	Storage				
Dry	-20°F to 200°F	-20°F to 250°F	-40°F to 250°F				
	(-29°C to 93°C)	(-29°C to 121°C)	(-40°C to 121°C)				
Glycerin Fill	20°F to 150°F	20°F to 150°F	0°F to 150°F				
	(7°C to 66°C)	(7°C to 66°C)	(-18°C to 66°C)				
Silicone Fill	-40°F to 150°F	-40°F to 200°F	-40°F to 150°F				
	(-40°C to 66°C)	(-40°C to 93°C)	(-40°C to 66°C)				

Note: Other than discoloration of the dial and hardening of the gasketing that may occur as ambient or process temperatures exceeds 150°F, non-liquid-filled gauges with standard glass windows, can withstand continuous operating temperatures up to 250°F (121°C). Liquid-filled gauges can withstand 200°F (93°C) but glycerin fill and acrylic window will tend to yellow. Accuracy at temperatures above or below the reference ambient temperature of 68°F (20°C) will be affected by approximately 0.4% per 25°F. Gauges with welded joints will withstand 750°F (400°C), 450°F (232°C) with silver brazed joints for short times without rupture, although other parts of the gauge will be destroyed and calibration will be lost. For continuous use and for process or ambient temperatures above 250°F (121°C), a diaphragm seal or capillary or siphon is recommended.



Welded

Welded

All specifications are subject to change without notice.

316L SS

K-Monel® 500

Data Sheet




1259 Process Gauge

ORDERING CODE	Example:	451259	s	D	02	L	XC4	15#
Dial Size/Model Code								
451259 - 41/2" Polybutylene terephthalate case, solid	d front (Meets UL 94-V-0)	451259						
System (tube and process connection)								
S - 316L SS tube and process connection			S	_				
P - K-Monel® 500 tube, Monel® 400 process connection	ction							
Case Design				_				
D - Dry				D				
L - Glycerin liquid filled (IP65)								
Process Connection Sizes								
02 - 1/4 NPT Male					02			
04 - ½ NPT Male								
Process Connection Location								
L - Lower						L		
Options (If choosing an option(s) must include a	n "X")						X	
SG - Safety glass								
LJ - Hermetically sealed								
GV - Silicone filled case								
NH - SS tag wired to case								
6B - Cleaned for gaseous, oxygen service								
C4 - Individual calibration chart in accordance with	ASME B40.100:2013. Accuracy tra	aceable to N.I.	S.T				C4	
Range (coding examples only, see range table o	n page 3 for all standard ranges)							
Single Scales								
15# - 15 psi								15#
1BR - 1 bar								
1KG - 1 kg/cm ²								
100KP - 100 kPa								
Dual Scales								
2KG/# - 2 bar inner scale, 30 psi outer scale								

DIMENSIONS

For reference only, consult Ashcroft for specific dimensional drawings



2 of 3

All specifications are subject to change without notice. All sales subject to standard terms and conditions.



Data Sheet



1259 Process Gauge

STA	ANDARD PE	RESSURE RA	NGES		
Ε	psi	bar	kPa	mPa	kg/cm²
/acuum	30IMV	N1BR	N100KP	N1MP	N1KG
>	-	N1/0.6BR	N100/60KP	0.1/0.06MP	N1/0.6KG
	V/15#	-	_	-	-
	-	N1/1.5BR	N100/150KP	N0.1/0.15MP	N1/1.5KG
ъ	V/30#	-	_	_	-
Compound	-	N1/3BR	N100/300KP	N0.1/0.3MP	N1/3KG
E Som	V/60#	_	_	_	-
_	-	N1/5BR	N100/500KP	N0.1/0.5MP	N1/5KG
	V/100#	_	_	_	-
	-	N1/9BR	N100/900KP	N0.1/0.9MP	N1/9KG
	15#	1BR	100KP	0.1MP	1KG
	20#	-	-	-	-
	-	1.6BR	160KP	0.16MP	1.6KG
	30#	-	-	-	-
	-	2.5BR	250KP	0.25MP	2.5KG
	60#	4BR	400KP	0.4MP	4KG
	-	6BR	600KP	0.6MP	6KG
	100#	-	-	-	-
	120#	-	_	_	-
	-	10BR	1000KP	1MP	10KG
	160#	-	-	-	-
	200#	-	-	-	-
	-	16BR	1600KP	1.6MP	16KG
	300#	-	-	-	-
	-	25BR	2500KP	2.5MP	25KG
Positive Pressure	400#	-	-	-	-
Pres	500#	-	_	_	-
tive	600#	40BR	4000KP	4MP	40KG
Posi	800#	-	-	-	-
	-	60BR	6000KP	6MP	60KG
	1000#	-	-	-	-
	1500#	100BR	10000KP	10MP	100KG
	2000#	-	-	-	-
	-	160BR	16000KP	16MP	160KG
	3000#	-	-	-	_
	-	250BR	25000KP	25MP	250KG
	4000#	-	-	-	_
	5000#	-	-	-	-
	6000#	400BR	40000KP	40MP	400KG
	8000#	-	-	_	-
		00000	COOOOLCD	60MP	600KG
	_	600BR	60000KP	OOIVII	000110
	- 10000#	- 600BR	- -	-	- -
			100000KP		