

Food Service Thermometer

NEW!

Features:

- Type T thermocouple thermometer has an impressive range of interchangeable probes specifically designed for use in the food service industry
- Easily upgraded anytime to wireless probes for use up to a minimum distance of 20m
- Maximum of one wired and one wireless probe can be read and displayed simultaneously
- User-adjustable audible alarm limits
- Minimum/maximum value memory
- Auto Hold automatically recognizes when the temperature reading has stabilized
- Large two-line backlit display
- **Model 0563.9262** includes Type T thermocouple thermometer, standard immersion/penetration probe, battery and TopSafe case



Specifications:

Probe Type: Tpe T (Cu-CuNi) or NTC for wireless
 Temperature Range: -50 to 400°C (-58 to 752°F)
 Resolution: 0.1° < 199°C (391°F), 1.0° ≥ 200°C (392°F)
 Accuracy: ±0.3°C: -20 to 70°C; ±(0.7°C ±0.5% m.v.): remaining range
 Display: One 9V battery
 Battery Life: 200 hours
 Dimensions: 182 x 64 x 40mm (2.5 x 7 x 1.5")
 Weight: 171g (6.0 oz)

Model	Description	Price
0560.9261	Type T Food Service Thermometer	\$206
0563.9262	Food Service Thermometer Starter Kit	\$312
0603.0646	Thermocouple w/ Type T Plug	\$103
0603.1293	Waterproof Immersion/Penetration Probe	\$102
0603.2192	Stainless Steel Food Probe	\$169
0603.2492	Robust Food Penetration Probe	\$208
0603.2693	Waterproof Needle Tip Probe	\$242
0603.3292	Corkscrew-style Frozen Food Probe	\$289
0603.3392	Stainless Steel Food Probe	\$242
0554.0191	Wireless Handle for Optional Probes	\$191
0554.0190	Wireless Module	\$79
0554.0549	Infrared Printer, incl. 1 roll of paper	\$486

Food Service Thermometer

NEW!

Features:

- Interchangeable probes for a variety of food temperature measurement applications
- Robust, IP65-rated body is water- and dust-resistant for high liquid or moisture environments
- User-selectable high and low alarm limits provide an audible and visual alarm when critical thresholds are exceeded
- Backlit display allows for easy viewing in low-lit areas
- **Model 0563.1051** comes with standard penetration probe
- **Model 0563.1052** includes standard penetration probe, frozen food probe and extra-long measurement probe



Specifications:

Temperature Range: -58 to 527°C (-50 to 275°C)
 Resolution: 0.1°F (0.1°C)
 Accuracy: ±1°F (°C): -58 to -4°F (-50 to -20°C);
 ±0.5°F (°C): -40 to 212°F (-20 to 100°C);
 ±1%: 212 to 527°F (100 to 275°C)
 Display: 3-1/2 digit LCD
 Power Supply: 4 x button cell batteries (included)
 Dimensions: 1.5 x 7.75 x 5.75"
 Weight: 4.9 oz

Model	Description	Price
0563.1051	Frozen Food Thermometer	\$178
0563.1052	Frozen Food Thermometer Kit	\$390
0613.1051	Standard Penetration Probe, 4.75"	\$43
0613.1052	Corkscrew-style Frozen Food Probe, 3.5"	\$151
0613.1053	Long Measurement Probe, 7.75"	\$55
0554.1051	Aluminum Carrying Case	\$126

HACCP Temperature Monitor

NEW!



Features:

- Temperature data is automatically retrieved every 15 minutes around the clock, every day...24/7 and the information is stored for 10 days
- Maximum and minimum temperature control points can be programmed into the monitor for each sensor
- Visual (red flashing light) and audible (90 dB beeper) alarms
- Five different alarm delay settings (0, 15, 30, 45 or 60 minutes)
- Data collected is easily uploaded to a PC via integral USB port
- Tamperproof log sheets are created in Excel for storage, graphing and e-mail
- Monitors current temperatures from up to 30 remote temperature sensors
- Monitor has fold-out desk stand or holes for wall mounting
- Temperature information is sent wirelessly up to 300' (100m)
- All sensors are waterproof to IP65 and all components meet NSF criteria for professional kitchen equipment
- "Hot" and "cold" probes with standard 6' (2m) cables available
- Kit includes six **201TC** wireless sensors, each with wall mount bracket, four **203TC** "cold" probes (blue) and two **202TC** "hot" probes (red), and **209TC** software and USB cable



Specifications:

MONITOR

- Temperature Range: -20 to 300°F
- Data Update Time: 15 minutes
- Memory Capacity: 2 days for 30 temperature sensors; 10 days for 6 temperature sensors
- Alarms: 80 - 90 dB beeper sounds and red light flashes every 10 seconds when temperatures are outside "safe range"
- Power Supply: 120V AC/DC, 15mA adapter included, 4 x "AA" battery back up
- Dimensions: 7 x 1.1 x 5.5"

SENSOR

- Probe Temp. Range: Cold: -20 to 140°F; Hot: 50 to 300°F
- Alarms: 80 - 90 dB beeper sounds and red light flashes every second when temperatures are outside "safe range"
- Transmission Range: 300 ft. (100m) in an open area
- Power Supply: 3 x "AAA" batteries
- Dimensions: 2 x 3 x 0.75"

Model	Description	Price
200TC	HACCP Wireless Temperature Kit	\$1395
201TC	Wireless Temperature Sensor	\$130
203TC	Cold Probe	\$45
202TC	Hot Probe	\$45
208TC	14'6" Temp. Probe Extension Wire	\$45

Temperature Monitor

NEW!

Features:

- UL approved intrinsically safe for Class I, Groups C & D and has a temperature code of T3C
- Max/Min memory records highest and lowest temperatures
- Hold button lets you freeze a reading
- Display backlight for dark environments
- Auto shut-off with override option




- Housed in a rugged polyethylene storage case with a sealed membrane touch pad
- Includes general purpose temperature probe

Specifications:

- Temperature Range: -40 to 300°C (-40 to 150°F)
- Resolution: 0.1°C or °F
- Accuracy: ±0.2°C/±0.3°F or 0.5% rdg., whichever is greater
- Display: 4-digit 0.5" high LCD
- Power Supply: Single 9V battery (included)
- Dimensions: 7 x 3 x 1"

Model	Description	Price
TM99A-UL	Intrinsically Safe Temperature Monitor	\$345

Food Service Thermometers



Model DT150

Features:

- Spirit glass thermometer
- Hangs or stands
- 4-7/8" long
- Dual scale: -40 to 27°C (-40 to 80°F)
- ±1 division accuracy, 2° division

Model	Description	Price
DT150	Freezer Thermometer	\$8



Model DT153

Features:

- 1" dial with 5" stem
- Dual scale: 50 to 100°C (120 to 220°F)
- Includes pocket case with integral digital timer

Model	Description	Price
DT153	Pocket Dial Thermometer w/ Timer	\$19



Model DT167

Features:

- Hangs or stands
- 2 1/2" high
- Stainless steel construction
- Bold numbers for easy reading
- Dual scale: -30 to 20°C (-30 to 70°F)
- ±1 division accuracy, 2° division

Model	Description	Price
DT167	Refrigerator/Freezer Thermometer	\$12



Model DT160

Features:

- Hangs or stands
- 2-1/2" high
- Stainless steel construction
- Bold numbers for easy reading
- Dual scale: 75 to 225°C (150 to 550°F)
- ±1 division accuracy, 5° division

Model	Description	Price
DT160	Oven Thermometer	\$12



Model DT163

Features:

- Dishwasher safe
- Stainless steel body
- 2-1/4" dial, 5-1/2" stem
- Dual scale: 40 to 200°C (100 to 400°F)
- ±1 division accuracy, 5° division
- Manual temperature indicator
- Adjustable pan clip

Model	Description	Price
DT163	Professional Candy Thermometer	\$12



Model DT165

Features:

- Dishwasher safe
- Stainless steel body
- 2-3/4" dial, 5-1/2" stem
- Dual scale: 65 to 85°C (120 to 200°F)
- ±1 division accuracy, 5° division
- Manual temperature indicator

Model	Description	Price
DT165	Meat/Oven Thermometer	\$16