



Made in the
United States of America



The Adjustable Wrist Strap set provides a cost-effective method of grounding personnel. Features a comfortable, adjustable band, a 5 ft. (1.5 m) coil cord with a 4mm snap. One size adjusts to most any size wrist to provide reliable, 360-degree protection. A 1 megohm resistor is built into the ground cord. Adjust band over a range of diameters, 1.7 in. – 3.5 in. Meets ANSI/ESD S20.20 and ANSI/ESD S1.1.

Wristband

Properties	Typical Value	Test Method
Fabric	Elastic nylon	
Resistance	< 500 ohms	ANSI/ESD S1.1
Contact	360 Degrees Around Wrist	
Color	Royal blue with white edgest	
Male Stud Snap	4mm	
Snap Release	< 3 lbs.	
Back Plate	Stainless Steel	

Coil Cord

Properties	Typical Value	Test Method
Length	5 Feet	
Resistance	1 Megohm	ANSI/ESD S1.1
Flex life average	1,000,000 cycles	ANSI/ESD S1.1
Color	Black	
Female Socket Snap	4mm	

Note: This product is not recommended for use on equipment with operating voltage exceeding 250 VAC.

CAUTION: The ESD Series is for electrostatic control. It will not reduce or increase your risk of receiving electric shock when using or working on electrical equipment. Follow the same precautions you would use without wrist straps, including:

- Make certain that equipment having a grounding type plug is properly grounded.
- Make certain that you are not in contact with grounded objects other than through the ESD Series.

Unless otherwise noted, tolerance $\pm 10\%$

Specifications and procedures subject to change without notice.

Item	Description
2271	Adjustable Wristband
2272	Adjustable Wrist Strap with 5' Coil Cord

2271/2272 SINGLE-WIRE ADJUSTABLE FABRIC WRIST STRAP

SCS

1.800.561.8187

www.itm.com

information@itm.com

DRAWING
NUMBER
2271/2272

DATE
October
2015