

# SAFETY HELMETS

SAFETY • COMFORT • FIT

TYPE 2



**KLEIN**  
TOOLS®



1.800.561.8187

[www.itm.com](http://www.itm.com)

[information@itm.com](mailto:information@itm.com)

# PROTECTION FROM IMPACT, PENETRATION, AND LATERAL DEFORMATION



## KLEIN SAFETY HELMETS ARE TESTED TO THE LATEST STANDARDS

### TYPE 2, CLASS E

ELECTRICAL PROTECTION  
UP TO 20KV

① **ANSI/SEA Z89.1-2014**

② **EN12492:2012\***

4.2.1.2, 4.2.1.3, 4.2.1.4,  
4.2.2, 4.2.3, 4.2.4

### TYPE 2, CLASS C


ADJUSTABLE SIDE VENTS HELP  
MANAGE AIR CIRCULATION

③ **EN397:2012+A1:2012:**

5.2.1, 5.2.4, 5.2.5

\*This helmet provides LIMITED protection from small objects striking the top, front, back, left and right sides of the helmet.

## BUILDING ON A TRADITION OF SAFETY, COMFORT & FIT



**Chin Strap**  
4-point attachment  
to maintain stability  
and secure fit.  
(Cat. # CLMBRSTRP)



**Sweatband and Top Comfort Pad**  
Sweat-wicking and breathable padding  
materials, provide extra coverage and  
prevent straps from digging into your  
head. Replaceable and machine washable.  
(Cat. # KHHTOPPAD and KHSWBTBND)



**Pivot Adjustment**  
Allows user to position the  
ratchet mechanism to clear  
bandana knots and  
pony-tails.



**Ratchet Adjustment**  
Large knob mechanism  
allows for easy one-hand  
adjustment, even with  
gloves on.

Klein Tools Safety Helmets build on the same innovative features and attributes of the Klein® Hard Hats with an unwavering focus on **safety, comfort and fit**. With fall protection safety in mind, these helmets with integrated chin straps, have been tested for top, side, front/back impact and penetration. For enhanced side impact protection, these Type-2 helmets feature a lightweight 360-degree EPS foam shell integrated into the rugged outer shell. The helmet's compact and lightweight design allows easy access to confined spaces and makes it ideal for at-height applications.

## NON-VENTED CLASS E


Specifically designed for electricians, telecom technicians, tower erectors, windmill technicians and linemen working at height, these non-vented safety helmets are tested up to 20kV of protection.



### KLEIN® HEADLAMPS/ WORK LIGHTS

offer a range of model options to suit most jobsite demands—and will easily mount to every Klein Safety Helmet (or Klein Hard Hat) with **NO STRAP NEEDED!**

(Cat. #56062 shown, included on #60525)



## ACCESSORY MOUNTS

Patented accessory mounts on front and back ensure Klein Headlamps are always positioned properly with **NO STRAP** needed!



### UNIVERSAL ACCESSORY SLOTS

on both sides for hearing protection, face shield, and more.

### SIX-POINT SUSPENSION

for enhanced stability and secure fit

### EPS FOAM SHELL

Low profile and lightweight with 360-degrees of side impact protection.

### OPEN-FRAME DESIGN


for maximum air circulation

### REAR NECK PAD

made of soft material to conform and grip to maintain ratchet location

## VENTED CLASS C

Designed for maximum comfort. These compact vented helmets are built for arborists, general construction, plumbers, and carpenters who work in tight spaces or at-height job sites that don't need electrical protection. Adjustable vents allow to control air flow in both hot and cold weather.



### LARGER VENTS = BETTER VENTILATION

The adjustable vents can be opened or closed for maximum air circulation.



### VISORS

Clear and Gray visors designed specifically for Klein Safety Helmets. Anti-fog, scratch-resistant, 99.9% UV blocking, lightweight with high optical clarity. Locks up and down to stay in place (Cat. #VISORCLR and VISORGRAY)

### HEARING PROTECTION & FACE SHIELD COMPATIBLE

Universal slots allow attachment of most face shields and hearing protection (#60532 shown)



## TYPE 2

# KLEIN SAFETY HELMETS



60564

60525



60565

60526

## TYPE 1



60149

60150



60515

60516

60517

## VISORS

CAT No.	UPC 0-92644+	Description	Optical Clarity	UV Protection	Anti-fog	Scratch Resistant	ANSI (US)	CSA (Canada)	Military Impact Standards
VISORCLR	60169-9	Clear, detachable half-face visor		99.9% UV-A, UV-B, and UV-C per ANSI Z87.1 U6	Yes	Yes	Z87.1+ 2020 (High Impact rated)	Z94.3-20	MIL-PRF-32432A-Class 1 (Clause 3.8.4.1) -Ballistics fragmentation
VISORGRAY	60170-5	Tinted Gray, detachable half-face visor	Class 1						



For Professionals  
SINCE 1857™



1.800.561.8187

www.itm.com

information@itm.com

