



Steel Rules with Inch Graduations

1-144"

All rules furnished with Starrett satin chrome finish, except where noted.
Additional sizes and variations available on special order.

Rules include:

- Full-Flexible
- Semi-Flexible
- Spring-Tempered
- Heavy Spring-Tempered

Key to Starrett Rule Numbering System:

Prefixes:

C – Satin Chrome Finish
DH – Double Hook
H – Single Hook

Suffixes:

E – End Graduations
K – With Pocket Clip
N – Narrow-Type Rule
R – Quick-Reading
S – Semi-Flexible
T – Tapered End

1-4" Spring-Tempered Steel Rules with Inch Graduations

Length	Width x Thickness	Graduations	Feature Remarks	Catalog No.	EDP
1"	1/2" x 3/64"			*C604R-1	56464
2"	1/2" x 3/64"			*C604R-2	56465
3"	9/16" x 3/64"	4R – 8ths, 16ths, Quick-Reading 32nds, 64ths		*C604R-3	56466
4"	5/8" x 3/64"			*C604R-4	56467

6" Full-Flexible Steel Rules with Inch Graduations

6"	1/2" x 1/64"	3R – Quick-Reading 10ths, Aircraft Quick-Reading 50ths, 32nds and 64ths		*C303R-6	51334
		4R – 8ths, 16ths, Quick-Reading 32nds and 64ths		*C304R-6	66008
		5R – Quick-Reading 10ths, Aircraft Quick-Reading 100ths, 32nds and 64ths	With Standard Letter of Certification†	*C305R-6	51347
		6R – One Side Only – Quick-Reading 10ths (.10) Top Edge; Aircraft Quick-Reading 50ths (.02) Bottom Edge		*C306R-6	51352
		9R – 16ths and Quick-Reading 32nds on One Side; Quick-Reading 64ths on Reverse Side		*C309R-6	51357
		10R – Quick-Reading 32nds, 64ths on One Side Only		*C310R-6	51368
		10 – 32nds and 64ths on One Side Only	With Pocket Clip	*C310K-6	56701
		10 – 32nds One Side; 64ths on Reverse Side	With Tapered End	*C310T-6	56700
		16R – Quick-Reading 32nds, 64ths, Aircraft Quick-Reading 50ths and 100ths		*C316R-6	51374
		9R – 16ths and Quick-Reading 32nds on One Side; Quick-Reading 64ths on Reverse Side	Stainless Steel	*1309R-6	53204

6" Semi-Flexible Steel Rules with Inch Graduations

6"	3/4" x 1/50"	3R – Quick-Reading 10ths, Aircraft Quick-Reading 50ths, 32nds and 64ths		*C303SR-6	51335
		4R – 8ths, 16ths, Quick-Reading 32nds and 64ths; End Graduations in 32nds Both Ends, One Side	End Graduations	*C304SRE-6	51343

† Includes redemption card for Standard Letter of Certification (SLC).

* Indicates rules with single row of inch figures (all rules under 1" width). Rules without asterisk have double row of inch figures, and each edge represents the bottom edge reading left to right (rules 1" and wider).



H604R-6 with Reversible Hook



Steel Rules with Inch Graduations

1-144"

All rules furnished with Starrett satin chrome finish, except where noted.

Additional sizes and variations available on special order.

12" Full-Flexible Steel Rules with Inch Graduations

Length	Width x Thickness	Graduations	Feature Remarks	Catalog No.	EDP
12"	1/2" x 1/64"	4R – 8ths, 16ths, Quick-Reading 32nds and 64ths	With Standard Letter of Certification†	*C304R-12	66009
		5R – Quick-Reading 10ths, Aircraft Quick-Reading 100ths, 32nds and 64ths		*C305R-12	51348
		6R – One Side Only – Quick-Reading 10ths (.10) Top Edge; Aircraft Quick-Reading 50ths (.02) Bottom Edge		*C306R-12	51353
		10R – Quick-Reading 32nds and 64ths One Side Only		*C310R-12	56429
		16R – Quick-Reading 32nds, 64ths, Aircraft Quick-Reading 50ths and 100ths		*C316R-12	51375

12" Semi-Flexible Steel Rules with Inch Graduations

12"	1" x 1/50"	3R – Quick-Reading 10ths, Aircraft Quick-Reading 50ths, 32nds and 64ths	C303SR-12	51336
		4R – 8ths, 16ths, Quick-Reading 32nds and 64ths; End Graduations in 32nds Both Ends, One Side	End Graduations	C304SRE-12

12" Spring-Tempered Steel Rules with Inch Graduations

12"	1" x 3/64"	1 – 10ths, 20ths, 50ths, 100ths; 12ths, 24ths, 48ths; 16ths, 32nds, 64ths; 14ths, 28ths	See Note on Previous Page **	C601-12	52640
		4R – 8ths, 16ths, Quick-Reading 32nds and 64ths	Regular Steel Finish	604R-12	52647
		4R – 8ths, 16ths, Quick-Reading 32nds and 64ths; End Graduations in 32nds Both Ends, One Side	With Standard Letter of Certification†	C604R-12	52679
		4R – 8ths, 16ths, Quick-Reading 32nds and 64ths; End Graduations in 32nds Both Ends, One Side	End Graduations	C604R-12 W/SLC	66885
		4R – 8ths, 16ths, Quick-Reading 32nds and 64ths; End Graduations in 32nds Both Ends, One Side	End Graduations	C604RE-12	52661
		6R – Both Sides – Aircraft Quick-Reading 50ths (.02) Both Edges, One Side; Quick-Reading 10ths (.10) Both Edges, Opposite Side	Regular Steel Finish With Reversible Hook	H604R-12	52669
		4R – 8ths, 16ths, Quick-Reading 32nds and 64ths	With Reversible Hook	CH604R-12	52674
		6R – Both Sides – Aircraft Quick-Reading 50ths (.02) Both Edges, One Side; Quick-Reading 10ths (.10) Both Edges, Opposite Side	Regular Steel Finish With Adjustable Double Hook	DH604R-12	52664
		4R – 8ths, 16ths, Quick-Reading 32nds and 64ths	With Adjustable Double Hook	CD604R-12	52666
		7R – 16ths, Quick-Reading 32nds, 64ths, Aircraft Quick-Reading 100ths	C606R-12	52653	
12"	3/16" x 3/64"	16R – Quick-Reading 32nds, 64ths, Aircraft Quick-Reading 50ths, 100ths	C607R-12	52689	
		4R – 8ths, 16ths, Quick-Reading 32nds and 64ths	C616R-12	52702	
		10 – 32nds One Side and 64ths on Reverse Side	Stainless Steel	1604R-12	53211
12"	3/16" x 3/64"	10 – 32nds One Side and 64ths on Reverse Side	Regular Steel Finish; Narrow Rule	*610N-12	52695
		10 – 32nds One Side and 64ths on Reverse Side	Narrow Rule	*C610N-12	67103
		10 – 32nds One Side and 64ths on Reverse Side	Regular Steel Finish; Narrow Rule with Hook	*H610N-12	52698

† Includes redemption card for Standard Letter of Certification (SLC).

* Indicates rules with single row of inch figures (all rules under 1" width). Rules without asterisk have double row of inch figures, and each edge represents the bottom edge reading left to right (rules 1" and wider).





Steel Rules with Inch Graduations

1-144"

All rules furnished with Starrett satin chrome finish, except where noted.

Additional sizes and variations available on special order.

18" Full-Flexible Steel Rules with Inch Graduations

Length	Width x Thickness	Graduations	Feature Remarks	Catalog No.	EDP
18"	3/4" x 1/50"	5R – Quick-Reading 10ths, Aircraft Quick-Reading 100ths, 32nds and 64ths	With Standard Letter of Certification†	*C305R-18	51349
		16R – Quick-Reading 32nds, 64ths, Aircraft Quick-Reading 50ths and 100ths		*C316R-18	51376

18" Spring-Tempered Steel Rules with Inch Graduations

18"	1-1/8" x 3/64"	4R – 8ths, 16ths, Quick-Reading 32nds and 64ths	With Standard Letter of Certification†	C604R-18	52680
			With Hook	C604R-18 W/SLC	66886

24" Full-Flexible Steel Rules with Inch Graduations

24"	3/4" x 1/50"	4R – 8ths, 16ths, Quick-Reading 32nds and 64ths	With Standard Letter of Certification†	C304R-24	56645
		5R – Quick-Reading 10ths, Aircraft Quick-Reading 100ths, 32nds and 64ths		*C305R-24	51350
		16R – Quick-Reading 32nds, 64ths, Aircraft Quick-Reading 50ths and 100ths		*C316R-24	51377

24" Semi-Flexible Steel Rules with Inch Graduations

24"	1" x 1/50"	3R – Quick-Reading 10ths, Aircraft Quick-Reading 50ths, 32nds and 64ths		C303SR-24	51338
-----	------------	-------------------------------------------------------------------------	--	-----------	-------

24" Spring-Tempered Steel Rules with Inch Graduations

24"	1-1/4" x 3/64"	4R – 8ths, 16ths, Quick-Reading 32nds and 64ths	With Standard Letter of Certification†	C604R-24	52681
				C604R-24 W/SLC	66887
		7R – 16ths, Quick-Reading 32nds, 64ths, Aircraft Quick-Reading 100ths		CH604R-24	52676

24" Heavy Spring-Tempered Steel Rules with Inch Graduations

24"	1-1/4" x 1/10"	4R – 8ths, 16ths, Quick-Reading 32nds and 64ths	With Hook	C404R-24	51484
		16R – Quick-Reading 32nds, 64ths, Aircraft Quick-Reading 50ths and 100ths		C416R-24	51509
				CH416R-24	51519

36" Full-Flexible Steel Rules with Inch Graduations

36"	3/4" x 1/50"	5R – Quick-Reading 10ths, Aircraft Quick-Reading 100ths, 32nds and 64ths		*C305R-36	51351
		16R – Quick-Reading 32nds, 64ths, Aircraft Quick-Reading 50ths and 100ths		*C316R-36	51378

All C404R and C416R Rules furnished with hole in end for hanging.

† Includes redemption card for Standard Letter of Certification (SLC).

* Indicates rules with single row of inch figures (all rules under 1" width). Rules without asterisk have double row of inch figures, and each edge represents the bottom edge reading left to right (rules 1" and wider).

