

According to Regulation (EC) No. 1907/2006 OSHA Regulation 29 CFR 1910.1200 Canadian Regulation SOR/88-66

Revision Date: 2014-08-21

<u>SECTION 2:</u> HAZARD IDENTIFICATION

Causes severe skin burns and eye damage.

According to Regulation (EC) No. 1272/2008:

Classification: Skin Corrosion (Category 1B)

Signal Word: Danger

Pictograms:



Hazard H314: Causes severe skin burns and eye damage.

Statements:

Precaution P280: Wear protective gloves/protective clothing/eye protection/face protection.

Statements: P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and

easy to do. Continue rinsing.

According to Directives 67/548/EEC and 1999/45/EC:

Symbol: C: Corrosive R-phrases: 34: Causes burns.

S-phrases: 26-36/37/39-45: In case of contact with eyes, rinse immediately with plenty of water and seek medical advice. Wear

suitable protective clothing, gloves and eye/face protection. In case of accident or if you feel unwell, seek medical

advice immediately (show the label where possible).

SECTION 3: COMPOSITION AND COMPONENT INFORMATION

Component:	EC No:	CAS No:	Hazard Class:	Phrases:	Concentration:
Ammonia	215-647-6	1336-21-6	Skin Corr. 1B Aquatic Acute 1 C, N	H314, H400 R: 34-50	> 10% - < 25%
Ammonium Chloride	235-186-4	12125-02-9	Acute Tox. 4 Eye Irrit. 2 Xn	H302, H319 R: 22-36	> 10% - < 25%





According to Regulation (EC) No. 1907/2006 OSHA Regulation 29 CFR 1910.1200 Canadian Regulation SOR/88-66

SECTION 4: FIRST AID MEASURES

After Inhalation: Remove to fresh air.

After Skin Contact: Wash affected area with plenty of water. Remove contaminated clothing

After Eve Contact: Rinse out with plenty of water. If pain persists, summon medical advice.

After Swallowing: If victim is still conscious, make him drink plenty of water (if necessary several liters). Do not induce vomiting (risk of

perforation). Do not attempt to neutralize. Immediately call in physician.

General Information: Not available

SECTION 5: FIRE-FIGHTING MEASURES

Suitable Extinguishing Media:

Water spray, Carbon Dioxide, Dry Chemical Powder, Appropriate Foam.

Special Risks:

Development of hazardous combustion gases or vapors possible in the event of fire. The following may develop in the event of fire: Nitrogen Oxides, Hydrochloric Acid

Special Protective Equipment:

Do not stay in dangerous zone without suitable chemical protection clothing and self-contained breathing apparatus.

Additional Information:

Contain escaping vapors with water. Prevent fire-fighting water from entering surface water or groundwater.

SECTION 6: ACCIDENTAL RELEASE MEASURES

Personal Precautions:

Do not inhale vapors/aerosols. Avoid substance contact. Ensure supply of fresh air in enclosed rooms. Wear respirator, chemical safety goggles, rubber boots, and heavy rubber gloves.

Environmental Precautions:

Do not allow to enter sewerage system.

Additional Notes:

Sweep up, place in a bag and hold for waste disposal. Ventilate area and wash spill site after material pickup is complete.

SECTION 7: HANDLING AND STORAGE

Handling: Storage:

Avoid generation of vapors/aerosols. Do not inhale substance.

Store at room temperature (+15 to +25 $^{\circ}$ C). Tightly closed in a dry and well-ventilated place.





According to Regulation (EC) No. 1907/2006 OSHA Regulation 29 CFR 1910.1200 Canadian Regulation SOR/88-66

SECTION 8: EXPOSURE CONTROL/PERSONAL PROTECTION							
Туре	Value	Source	Туре	Value	Source		
Ammonium Chloride							
TWA (8hr)	10 mg/m³ (fume)	Belgium	TWA (8hr)	10 mg/m³ (fume)	Canada (Ontario)		
TWA (8hr)	10 mg/m³ (fume)	Canada (Quebec)	TWA (8hr)	10 mg/m³ (fume)	France		
TWA (8hr)	10 mg/m³	Greece	TWA (8hr)	10 mg/m³ (steam and fumes)	Poland		
TWA (8hr)	10 mg/m³ (fume)	Portugal	TWA (8hr)	5 mg/m³	Romania		
TWA (8hr)	10 mg/m³	Spain	TWA (8hr)	10 mg/m³ (fume)	UK		
Ammonium Hydroxide Solution							
TWA (8hr)	14 mg/m³ (as ammonia)	Belgium	TWA (8hr)	17 mg/m³	Canada (Ontario)		
TWA (8hr)	17 mg/m³	Canada (Quebec)	TWA (8hr)	7 mg/m³ (as ammonia)	France		
TWA (8hr)	14 mg/m³ (as ammonia)	Germany	TWA (8hr)	35 mg/m³ (as ammonia)	Greece		
TWA (8hr)	14 mg/m³ (as ammonia)	Hungary	TWA (8hr)	14 mg/m³ (as ammonia)	Netherlands		
TWA (8hr)	14 mg/m³ (as ammonia)	Poland	TWA (8hr)	25 ppm (as ammonia)	Portugal		
TWA (8hr)	14 mg/m³ (as ammonia)	Romania	TWA (8hr)	14 mg/m³ (as ammonia)	Spain		
TWA (8hr)	18 mg/m³ (as ammonia)	UK	TWA (8hr)	25 ppm (as ammonia)	USA (ACGIH)		
TWA (8hr)	50 ppm (as ammonia)	USA (OSHA)					
Engineerin	ng:						

Maintain general industrial hygiene practice.

Personal Protective Equipment:

Protective clothing should be selected specifically for the working place, depending on concentration and quantity of the hazardous substances handled. The resistance of the protective clothing to chemicals should be ascertained with the respective supplier.

Respiratory Protection:

Protective Gloves:

Eye Protection:

Required when vapors/aerosols are generated. Work under hood.

Rubber or plastic

Goggles or face mask

Industrial Hygiene:

Immediately change contaminated clothing. Wash hands and face after working with substance. Under no circumstances eat or drink at workplace.

SECTION 9:	PHYSICAL/CHEMICAL	PROPERTIES
------------	-------------------	-------------------

Appearance: Colorless liquid Odor: Pungent Density at 20°C: ~ 1 g/cm3 (ammonia-like)

Melting Point: NA **Boiling Point:** ND Solubility: Soluble Flash Point: pH at 20°C: ~ 10 **Explosion Limit:** ND ND

Thermal Decomp.: NA





Safety Data Sheet
According to Regulation (EC) No. 1907/2006
OSHA Regulation 29 CFR 1910.1200
Canadian Regulation SOR/88-66

SECTION 10: STABILITY AND REACTIVITY

Conditions to be Avoided:

Heating

Hazardous Polymerization:

Will not occur.

Further Information:

Explosive with air in a vapors/gasous state when heated.

Hazardous Decomposition Products:

In the event of fire: See section 5.

Substances to be Avoided:

Strong oxidizing agents, strong alkalis (Formed could be: ammonia), hydrochloric acid





According to Regulation (EC) No. 1907/2006 OSHA Regulation 29 CFR 1910.1200 Canadian Regulation SOR/88-66

SECTION 11: TOXICOLOGICAL INFORMATION

Product Toxicity

Quantitative data on the toxicity of this product is not available.

Potential Health Effects:

Intritations of the mucous membranes, coughing, bronchitis, pulmonary edema. When vapors/aerosols are

generated: strong irritant effect.

Skin Contact: Burns (dermatitis, necrosis).

Eye Contact: Burns. Risk of blindness!

Ingestion: Mucosal irritations, gastric pain, bloody vomiting, nausea, collapse, shock, dyspnoea, unconsciousness. Risk of

perforation in the esophagus and stomach.

Further Data: The following applies to ammonium salts in general: after swallowing: local irritation symptoms, nausea, vomiting,

diarrhea. Systemic effect: after the uptake of very large quantities: drop in blood pressure, collapse, CNS disorders, spasms, narcotic conditions, respiratory paralysis, haemolysis. The product should be handled with

usual care when dealing with chemicals.

Component Toxicity

Acute Toxicity: Chronic Toxicity:

Not Available

Ammonium Chloride

LD50: Oral - Rat - 1650 mg/kg

Ammonium Hydroxide Solution

LD50: Oral - Rat - 350 mg/kg

Additional Data:

APPLICABLE TO PARTIAL COMPONENT:

The following applies to Ammonia, as the pure substance:

Subacute to chronic toxicity

Sensitization:

Sensitization test (guinea pig): negative.

No carcinogenic properties suspected.

No mutagenic properties suspected.

Bacterial mutagenicity: Salmonella typhimurium: negative.

Bacterial mutagenicity: Escherichia coli: negative.

APPLICABLE TO PARTIAL COMPONENT:

The following applies to Ammonium Chloride – as the pure substance

Specific symptoms in animal studies:

Eye irritation test (rabbit): Severe irritations.

Skin irritation test (rabbit): No irritation. Subacute to chronic toxicity

Sensitization:

Sensitization test (guinea pig): No sensitizing effect.

Non carcinogenic in animal experiments.

Mutagenicity (mammal cell test): micronucleus negative.

Bacterial mutagenicity: Ames test: negative. No teratogenic effect in animal experiments.





HI 7090 Sodium ISA, 4M NH4CI / 4M NH4OH

Safety Data Sheet According to Regulation (EC) No. 1907/2006

> OSHA Regulation 29 CFR 1910.1200 Canadian Regulation SOR/88-66

SECTION 12: ECOLOGICAL INFORMATION

Quantitative data on the ecotoxicity of this product is not available.

APPLICABLE TO PARTIAL COMPONENT:

The following applies to Ammonia, as the pure substance:

Abiotic degradation:

Slow degradation

Biologic degradation:

Not readily degradable.

Behavior in environmental compartments:

Distribution: log p(o/w): -1.38 (experimental).

No bioaccumulation is to be expected (log P(o/w <1). Ecotoxic effects:

Fish toxicity: Onchorhynchus mykiss LC50: 0.53 mg/L /96 h (anhydrous substance)

Daphnia toxicity: Daphnia pulicaria EC50: 1.16 mg/L /48 h (anhydrous substance)

Daphnia magna EC50: 24 mg/L /48 h (anhydrous substance)

Bacterial toxicity: Photobacterium phosphoreum EC50 : 2 mg/L /5 min (anhydrous substance)

Biological effects: Highly toxic for aquatic organisms. Harmful effect due to pH shift. Forms toxic mixtures in water, dilution measures

notwithstanding.

APPLICABLE TO PARTIAL COMPONENT:

The following applies to Ammonium chloride – as the pure substance

Biologic degradation:

Methods for the determination of biodegradability are not applicable to inorganic substances.

Behavior in environmental compartments:

Distribution: log p(o/w): -4.37 (calculated).

No bioaccumulation is to be expected (log P(o/w <1).

Ecotoxic effects: Biological effects:

Fish toxicity: C.carpio LC50: 209 mg/L /96 h; L.macrochirus LC50: 725 mg/L /96 h.

Further Data: The following applies to ammonium ions in general: biological effects: fish: toxic as from 0.3 mg/L; nourishment for fish: toxic

as from 0.3 mg/L. Do not allow to enter waters, waste water, or soil!

SECTION 13: DISPOSAL CONSIDERATIONS

Waste Disposal: Chemical residues are generally classified as special waste and thus covered by local regulations. Contact local

authorities or disposal companies for advice. Handle contaminated packaging in the same way as the substance itself.

SECTION 14: TRANSPORTATION INFORMATION

Land (ADR/RID): Sea (IMDG): Air (ICAO/IATA):

2672 UN No.: 2672 2672

Proper Shipping Ammonia solution Ammonia solution Ammonia solution

Name:

Class (Sub Risk): **Packing Group:** Ш Ш Ш

Marine Pollutant: Nο

SECTION 15: REGULATORY INFORMATION

Complies with European Regulations (EC) No. 1907/2006 and No. 1272/2008.

Complies with European Council Directives 67/548/EEC and 1999/45/EC.

Complies with OSHA Regulation 29 CFR 1910.1200.

Complies with Canadian Regulation SOR/88-66

All chemical substances in this product are listed on the TSCA Inventory.





HI 7090 Sodium ISA, 4M NH4CI / 4M NH4OH

Safety Data Sheet
According to Regulation (EC) No. 1907/2006

OSHA Regulation 29 CFR 1910.1200 Canadian Regulation SOR/88-66

SECTION 16: OTHER INFORMATION

Text of phrases under Section 3

R22: Harmful if swallowed. R34: Causes burns.

R36: Irritating to eyes R50: Very toxic to aquatic organisms.

H314: Causes severe skin burns and eye damage.

H400: Very toxic to aquatic life. H302: Harmful if swallowed.

H319: Causes serious eye irritation.

Revision Information

Revision Date: 2014-08-21 Supersedes edition of: 2012-05-25

Reason for revision: Regulation (EC) No. 1272/2008

Compliance

Legend NA: Not Applicable

ND: Not Determined

THE INFORMATION CONTAINED HEREIN IS BASED ON THE PRESENT STATE OF OUR KNOWLEDGE. IT CHARACTERIZES THE PRODUCT WITH REGARD TO THE APPROPRIATE SAFETY PRECAUTIONS. IT DOES NOT REPRESENT A GUARANTEE OF THE PROPERTIES OF THE PRODUCT.

